

You Asked. We Listened.



Same DNA as Elements®



Series. Only Better.

NEW

Elements® XTRA Series



Up to 50% more storage space compared to traditional

stationary shelving.



Specification Guide

XTRA Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 610-1525 MM	UNIT LENGTH 1830 MM
SINGLE UNIT	Unit only	1090 kg	1090 kg
	Shelf only	365	275
	Unit with dunnage stand*	1270	1225
	Bottom shelf with dunnage stand*	545	410
		IINIT I ENCTU	

		610-1525 MM	
CORNER UNIT With 2 Dunnage Stands required	Unit only	1090	_
	Shelf only	365	_
	Bottom shelf with dunnage stands*	545	_

		UNIT LENGTH 610-1525 MM	
INTERMEDIATE SHELVES Shelves Installed Between 2 Units	Unit only	1090	_
	Shelf only	365	_
	Bottom shelf with dunnage stands*	545	_
MOBILE UNIT	Unit only	340	

*Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 54" and longer, all Corner Units, U-Shape Units and units specified for heavier loads.

What Stayed the **SAME...**

Product Dimensions Installation Configurations All Existing Accessories Fit Design and Quoting Resources













For more information about Cambro products visit www.cambro.com or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.



www.cambro.com

CAMBRO U.S.A. TEL: 1(714) 848-1555 FAX: 1(714) 230-4375 international@cambro.com

LITX2359-MC

CAMBRO EUROPEAN LOGISTICS TEL: (49) 7022 90 100 0 FAX: (49) 7022 90 100 19 cambroeurope@cambro.com

电话: +86-0752-2885018 传真: +86-0752-2885038 cambrochina@cambro.com

勘宝制造(惠州)有限公司



Access our Digital Catalog. Scan the QR code or visit cambro.com/catalog